



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	CLASS D-2B: Material causing other toxic effects (TOXIC).	Irritating material
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	LP Gym Coat	Code	654
Synonym	Gym Floor Finish	CAS #	Mixture.
Chemical Family	Not available.	Validation Date	3/22/2007
Chemical Formula	Not applicable.	Print Date	3/22/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Oh 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Acrylic Polymer	N/A	35 - 40	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	5 - 10	TWA: 25 ppm CEIL: 25 ppm	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Oxidized Ethylene Copolymer	68441-17-8	1 - 5	Not available.	Not available.
Dipropylene Glycol Butyl Ether	29911-28-2	1 - 5	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects	Inflammation of the eye is characterized by redness, watering, and itching. Over exposure by inhalation May cause headache, dizziness and nausea.
Potential Chronic Health Effects	KIDNEYS LIVER
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek medical attention.
Skin Contact	Remove contaminated Clothing and shoes. Wash gently and thoroughly the contaminated skin with running water and non-abrasive soap. Seek medical attention.
Inhalation	Evacuate the victim to a safe area as soon as possible. Oxygen may be administered if breathing is difficult. Seek medical attention.
Ingestion	Have conscious person drink 2 glasses of water. Seek immediate medical attention. NEVER give an unconscious person anything to ingest.

Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	In case of fire, use water spray (fog), foam, dry chemical, or CO2.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Not available.


Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Vapor respirator.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.
Incompatibility	Reactive with oxidizing agents.
Storage	Not for use or storage in or around the home. Keep out of the reach of children. Keep from Freezing. Minimum recommended storage is 34 F. Maximum Recommended storage is 120 F. Keep container tightly closed when not in use.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Local exhaust ventilation should be provided.
Personal Protection	<i>Eyes</i> Splash goggles.
	<i>Body</i> No special protective clothing is required.
	<i>Respiratory</i> A respirator is not needed under normal and intended conditions of product use. Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s). Vapor respirator.
	<i>Hands</i> Gloves, Neoprene.
Protective Clothing (Pictograms)	
Exposure Limits	Diethylene Glycol Ethyl Ether TWA: 25 CEIL: 25 (ppm) Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Mild Characteristic
Molecular Weight	Not applicable.	Taste	
pH	7 to 9.5 [Basic.]	Color	Off White

Boiling/Condensation Point	148.89°C (300°F)
Melting/Freezing Point	Not available.
Critical Temperature	Not available.
Instability Temperature	Not available.
Specific Gravity	1.0394 (Water = 1)
Vapor Pressure	Not Determined
Vapor Density	>1 (Air =1)
Volatility	>60% (w/w).
VOC	not available
Evaporation Rate	<1 compared to Butyl acetate.
Dispersion Properties	See solubility in water.
Solubility	Partially soluble in cold water, hot water.
The Product is:	May be combustible at high temperature.
Auto-ignition Temperature	Not available.
Flash Points	CLOSED CUP: >98.889°C (210°F).
Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Decomposition Products	May yield acrylic monomers undre thermal decomposition.

Section 11. Toxicological Information

Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Humans	<p><i>Eyes</i> Irritant. Inflammation of the eye is characterized by redness, watering, and itching.</p> <p><i>Skin</i> Slightly irritating</p> <p><i>Inhalation</i> Irritation of nose, throat and lungs May cause headache, dizziness.</p> <p><i>Ingestion</i> May cause headache, dizziness, drowsiness, nausea, vomiting, diarrhea, incoordination.</p>
Chronic Effects on Humans	KIDNEYS LIVER

Special Remarks on Toxicity to Animals Not available.

Special Remarks on Chronic Effects on Humans Not available.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Not available.

Toxicity of the Products of Biodegradation Not available.

Special Remarks on the Products of Biodegradation Not available.


Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification Not controlled under TDG (Canada).



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not applicable.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) CLASS D-2B: Material causing other toxic effects (TOXIC).



Regulatory Lists No products were found.

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications HCS (U.S.A.) Irritating material

USA Regulatory Lists

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: Fire hazard
 SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether 7.5%


DSD (EEC)

International Regulations Lists No products were found.

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical Hazard		0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 3/22/2007.

Verified by CRushton.
 Printed 3/22/2007.

Information Contact Betco Corporation
 1001 Brown Avenue
 Toledo, Ohio 43607

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/22/2007.

LP Gym Coat

Page: 5/5

Continued on Next Page