



Electronic Service Manuals

This electronic document is provided as a service to our customers. We do not create the contents of the information contained in this document. Should you have detailed questions pertaining to the information contained in this document, you may contact Michco, or the manufacturer which provided the original information in this electronic deliverable. Michco's only part in this electronic deliverable was the electronic assembly process. By providing this manual on line we are not guaranteeing parts availability.

You may contact Michco through the following methods:

Phone (517) 484-9312 or (800) 331-3339

2011 N. High St. -- Lansing, Michigan -- 48906

Fax: (517) 484-9836

Email: CustServe@Michco.com

Web site: www.Michco.Com

Parts Web site: www.FloorMachineParts.Com

Order Parts on Line at:

www.FloorMachineParts.Com

Directly to Parts & Service:

By Email: **Shop@Michco.com**

By Fax: (517) 702-2041

By Voice: Use numbers above.

Serving the Cleaning Industry Since 1922

Notice: All copyrighted material remains property of original owners, all trademarks are property of respective owners. Manuals are subject to Manufacturer's reproduction limitations. Originals or reproductions were provided by manufacturers through a request. We make no warranty as to the correctness of information provided in this document and you assume all risk. By placing these manuals on line we are not declaring our corporation to be an manufacturer authorized dealer or provider, please check our web site for authorized manufacturers we represent.

KLEEN SWEEP®

MODEL TK-7425

PARTS LIST

| Ref. No. | Part No. | Qty. Per Unit | Description of Part | Ref. No. | Part No. | Qty. Per Unit | Description of Part |
|-------------|--------------------|---------------------|--|-------------|----------------------|---------------------|---|
| 1 | 74-170-D | 1 | Hood Assem. TK-7425 | 29 | 69-233-A | 2 | Bearing-Nylon |
| | 75-26-D | 1 | Hood Assem. LP-7525 | 30 | 55-161-A | 2 | Washer-Special |
| 2 | 62-99-RB | 1 | Bracket | 31 | 54-227-A | 1 | Spacer |
| 3 | 62-100-LB | 1 | Bracket | 32 | 74-32-B | 2 | Support-Bracket |
| 4 | 74-04-C | 2 | Frame Assem. | 33 | 59-29-A | 2 | Spacer |
| 5 | 74-25-B | 1 | Reel Shaft | 34 | 65-416-20 | 3 | Bolt-Hex Hd. $\frac{1}{4}$ -20 x $1\frac{1}{4}$ |
| 6 | 74-07-B | 1 | Frame-Tie Bar | 35 | 365-416 | 6 | Nut-Hex Lock $\frac{1}{4}$ |
| 7 | 1200-24-B | 4 | Brush Strip Assem. | 36 | 945-416 | 3 | Washer-Flat $\frac{1}{4}$ |
| 8 | 74-26-D | 1 | Support-Handle | 37 | 364-416 | 3 | Nut-Hex Lock Thin $\frac{1}{4}$ -20 |
| 9 | 73-23-D | 1 | Handle-Upper | 38 | 380-332-16 | 2 | Cotter Pin $\frac{3}{32}$ Dia. x 1 |
| 10 | 74-24-B | 2 | Handle-Lower | 39 | 355-416 | 8 | Nut-Square $\frac{1}{4}$ -20 |
| 11 | 74-20-D | 1 | Basket Assem. | 40 | 946-1216-20 | 6 | Washer-Fiber $\frac{3}{4}$ I.D. |
| 12 | 74-21-A | 1 | Rod Basket Upper | 41 | 69-416-20 | 4 | Bolt-Cont. Hd. $\frac{1}{4}$ -20 x $1\frac{1}{4}$ |
| 13 | 74-81-A | 1 | Rod Basket Lower | 42 | 70-416-12 | 4 | Bolt-Carriage $\frac{1}{4}$ -20 x $\frac{3}{4}$ |
| 14 | 59-55-A | 2 | Screw-Sems | 43 | 335-516 | 2 | Nut-Hex Plain $\frac{5}{16}$ -18 |
| 15 | 74-19-B | 1 | Handle Adj. | 44 | 945-516 | 3 | Washer-Flat $\frac{5}{16}$ |
| 16 | 73-35-A | 1 | Tube-Cap TK-7425 | 45 | 65-416-16 | 2 | Bolt Hex Hd. $\frac{1}{4}$ -20 x 1 |
| | 75-74-A | 1 | Tube-Cap LP-7525 | 46 | 351-516-40 | 1 | Nut-Wing $\frac{5}{16}$ -18 |
| 17 | 45-19-LA | 1 | Pinion Gear (L.H.) | 47 | 70-516-16 | 1 | Bolt-Carriage $\frac{5}{16}$ -18 x 1 |
| 18 | 45-18-RA | 1 | Pinion Gear (R.H. Not shown) | 48 | 335-416 | 12 | Nut-Hex Plain $\frac{1}{4}$ -20 |
| 19 | 74-39-B | 2 | Gear Wheel 59-26-C P | 49 | 936-416 | 12 | Washer Int. Tooth Lock $\frac{1}{4}$ |
| 20 | 74-11-C | 2 | Wheel Assem. | 50 | 62-77-B | 2 | Roller - Brkt. |
| 21 | 63-224-B | 2 | Tire-Rubber | 51 | 62-75-A | 2 | Roller - Wood |
| 22 | 59-46-A | 2 | Hub Cap | 52 | 62-76-A | 2 | Spacer |
| 23 | 74-18-B | 1 | Bracket-Brush Adj. | 53 | 65-416-32 | 2 | Bolt-Hex Hd. $\frac{1}{4}$ -20 x 2 |
| 24 | 74-38-A | 2 | Pawl $\frac{3}{16}$ Dia. x .825 | 54 | 364-416 | 2 | Nut-Hex Lock $\frac{1}{4}$ -20 |
| 25 | 59-54-A | 6 | Screw-Truss Hd. $\frac{1}{4}$ -20 x $\frac{1}{2}$ 79-41-A | 55 | 69-416-16 | 2 | Bolt-Cont. Hd. $\frac{1}{4}$ -20 x 1 |
| 26 | 74-13-C | 6 | Support-Brush | | | | |
| 27 | 74-16-A | 3 | Stud | 56 | 74-131-A | 4 | Cap End TK-7425 |
| 28 | 69-04-A | 6 | Clamp-Brush Strip | | 75-75-A | 4 | Cap End LP-7525 74-131-A |

